THE

Annual Report

FOR THE

Market Harborough Rural District Council,

FOR 1897,

BY

EDGAR VAUGHAN PHILLIPS,

MEDICAL OFFICER OF HEALTH.

MARKET HARBOROUGH:

George Green, Printer, Bookseller, Stationer, &c., 1898.



MARKET HARBOROUGH RURAL SANITARY DISTRICT.

The Medical Officer of Health's Report

For 1897.

GENTLEMEN,

I beg to present you with my Report for 1897, and am pleased to say that the general health of the District has been good. There has been no epidemic amongst the children, and consequently no Schools have been compulsorily closed during the year. It will be seen there is a slight increase in the Death Rate, this was entirely owing to the widespread epidemic of Influenza, during the months of October, November and December, which especially increased the mortality among elderly people; no fewer than 41 deaths, out of the total of 98, occurred in persons over 65 years of age.

In the early part of the year a Committee was appointed to endeavour to provide an Isolation Hospital for the District, unfortunately no result whatever was attained, the requirements of the Local Government Board being so stringent and expensive as to hinder the project entirely for the present.

Births and Deaths.

The total number of Births in the District was 176. The total number of Deaths was 98—49 males and 49 females—41 of this number being over 65 years of age.

The Birth rate per thousand was 25.80. The Death rate per thousand was 14.36.

Scarlet Fever.

Nineteen cases of Scarlet Fever occurred in the District, all in the early part of the year; prompt measures for isolation and disinfection were taken, and there was no further spread of the disease. The origin was traced in almost every case to Leicester, where there was a widespread epidemic at the time.

Typhoid Fever.

Two cases were notified to me during the year. The source of the disease was not traced—one unfortunately had a fatal termination, this being the only death in the District from Notifiable Diseases.

Vaccination.

As Vaccination continues to be almost entirely neglected in the District, and there is no Isolation Hospital, it would be a great satisfaction to me to receive some definite instructions as to the immediate steps I might take for isolation should a case of Small-pox arise.

Water.

The following samples of Water were submitted to Mr. Freeland for analysis:—

Bosworth, Husba	nds	Public well		Bad.
Cranoe	•••	Ditto	•••	Bad.
Foxton	• • •	Soft water well		Bad.
Cranoe		Public well	• • •	Bad.
Theddingworth	•••	Private well	• • •	Bad.
Cranoe	•••	New boring		Good.
Slawston	•••	Public well	• • •	Fair.
Foxton	• • •	New boring	• • •	Fair.

Notices are being placed on all public pumps and wells, where the Water has been found to be impure, warning the public against using the Water.

Rainfall at Kibworth in 1897.

$rac{ ext{Rain}}{ ext{Gauge}} egin{cases} ext{Diameter of Funnel, 5ins.} \ ext{Height } & ext{Above Ground, 2ft. 6ins.} \ ext{of Top } & ext{Above Sea Level, 355ft.} \end{cases}$													
MONTH.	Total Depth.		est fall hours.	No. of days on which '01 or more fell.									
	Inches.	Depth.	Date.										
January	2.04	•39	7	20									
February	3.19	•93	5	12									
March	2.48	.51	14	19									
April	1.91	·24	16	16									
May	1.10	•32	11	10									
June	2.24	.69	8	12									
July	.38	·11	19	7									
August	4.90	.97	8	18									
September	2.16	.46	29	14									
October	1.36	.55	18	7									
November	1.12	•20	27	13									
December	2.54	•43	5	16									
TOTAL	25.42			164									

I append the Report of your Sanitary Surveyor, and the Returns required by the Local Government Board.

I have the honour to be, Gentlemen,

Your obedient Servant,

EDGAR VAUGHAN PHILLIPS,

Medical Officer of Health.

(A).-TABLE OF DEATHS during the Year 1897, in the MARKET HARBOROUGH Rural Sanitary District, classified according to DISEASES, AGES, and LOCALITIES.

	M	MORTALITY FROM ALL CAUSES, AT SUBJOINED AGES.							MORTALITY FROM SUBJOINED CAUSES, DISTINGUISHING DEATHS OF CHILDREN UNDER FIVE YEARS OF AGE.																				
NAMES OF LOCALITIES.	At all ages.	Under 1 year.	1 & under 5.	5 & under 15.		25 & under 65.	65 & upwards.		Smallpox.	Searlatina.	Diphtheria.	Membranous Croup.	Typhus.	Enterie or Typhoid.	Continued.	Relapsing.	Puerperal.	Cholera.	Erysipelas.	Measles.	Whooping Cough.	Diarrhœa and Dysentery.	Rheumatic Fever.	Phthisis.	Bronchitis, Pneu, Pleurisy.	Heart Disease.	Injuries.	All other Diseases.	TOTAL.
Bosworth, Husbands	11	2	2		1 :	2 4	2	Under 5 5 upwds.					•••	 1		•••							 1	 1	1	•••		7	 11
Cranoe	6		ı 		.	. 2	3	Under 5 5 npwds.			•••							•••		•••				1	·.;	1	•••	3	1 5
Fleckuey	14		5 1		. :	3	4	Under 5 5 upwds.							•••			•••			•••	1		 1	2	2		5 3	6 8
Foxton	7	:			.	. 2	1	Under 5 5 upwds.														1		 . I		2		2	1 6
Glooston	1		.		.	.	1	Under 5 5 upwds.																				 1	
Gumley	1		.		.		1	Under 5 5 upwds.									•••				•••							_i	 1
Kibworth Harcourt	8	:	2		.	. 1	5	Under 5 5 upwds.			•••				•••						•••		•••		1 3			$\frac{1}{2}$	2 6
Kibworth Beauchamp	15		3 1		1	1 3	6	Under 5 5 upwds.																1		 1		$\begin{vmatrix} 3 \\ 7 \end{vmatrix}$	4 11
Langton, East			.		.			Under 5 upwds.																					•••
Langton, Thorpe	2		.		.	.	2	Under 5 upwds.								***			}									2	2
Langton, Tur	5		.		.	2	3	Under 5 5 upwds.		•••																 1		2	 5
Laughton					.	.		Under 5 5 upwds.								•••													
Lubenham	6		3		.	. 2	1	Under 5 5 upwds.																		 1		3	3 3
Mowsley	1		.				1	Under 5 5 upwds.							•••														
Saddington	3		1 1		.	. 1		Under 5 5 upwds.		•••					•••				•••									2	2
Shangton	2		. 1			. 1		Under 5 5 upwds.		•••		•••			•••			•••		•••				1 1					1
Slawston	6		ı			2	3	Under 5			•••				•••			•••		•••		1	•••		•••			3	1 5
Smeeton	4		ı			. 2	1	5 upwds. Under 5 5 upwds.		•••					•••		•••							1	1 1				1 3
Stonton Wyville	,						2	Under 5		•••				•••		•••	•••												3
Theddingworth	١,						1	5 upwds. Under 5			•••		•••			•••	•••	•••	•••					1					
Welham							1	5 upwds. Under 5		•••	•••					•••	•••					•••	•••			•••		2	2
		+	-	_	-		43	5 upwds. Under 5	-	•••	•••	•••			•••	•••					•••	3	•••	3	2			15	23
TOTALS	98	2	0 4		$2 \mid$	6 25	41	5 upwds.		•••				1			•••						1	3 9	14	10	2	39	75

Area and Population of the District or Division to which this Return relates.

Area in Acres, 30,224.

Population (last census), 6,821.

Death Rates. { General, 14·36 per 1000 population, estimated to the middle of 1897. Infant (under one year of age), 113·60 per 1000 Births registered.

(B).—TABLE of POPULATION, BIRTHS, and of NEW CASES of INFECTIOUS SICKNESS, coming to the knowledge of the Medical Officer of Health, during the Year 1897, in the MARKET HARBOROUGH Rural Sanitary District, classified according to DISEASES, AGES, and LOCALITIES.

	Births.	NEW CASES OF SICKNESS IN EACH LOCALITY, COMING TO THE KNOWLEDGE OF THE MEDICAL OFFICER OF HEALTH.											NO. OF FUCH CASES REMOVED FROM THEIR HOMES IN T SEVERAL LCCALITIES FOR TREATMENT IN ISOL'N HOSPIT							
	Last Census	Esti- mated to middle of 1897.	Registered B		Smallpox,	Searlatina.	Diphtheria.	Membranous Croup.	Typhus.	Enteric or Typhoid.	Continued,	Relapsing.	Puerperal.	Cholera.	Erysipelas.	Smallbox.	Scarlatina.	Diphtheria.	Membranous Croup.	Therebes Donor
Bosworth, Husbands	844		21	Under 5 5 upwds.	•••		•••					•••	•••		•••					
Eranoe	66	•••	3	Under 5 5 upwds.						•••	· · · · · · · · · · · · · · · · · · ·		•••			•••	•••			
leckney	1254		37	Under 5 5 upwds.		3 4						•••	• • •	•••			•••			
Foxton	284		3	Under 5 5 upwds.	•••							•••					•••		•••	
Glooston	73		2	Under 5 5 upwds.															•••	
fumley	169	•••	3	Under 5 5 upwds.											١	•••	•••	•••		
Libworth Harcourt	460		10	Under 5 5 upwds.			•••			•••			•••	•••	•••	•••	•••	•••		
Tibworth Beanchamp	1003		27	Under 5 5 upwds.				•••				•••	•••	•••	•••		•••		•••	
angton, West	71	•••		Under 5 5 upwds.	•••							•••	•••		•••		• • •	•••		Ì
angton, East	225	•••	5	Under 5 5 upwds.	•••							•••	•••	•••	•••		•••	•••		
angton, Thorpe	108		4	Under 5 5 upwds.								•••	•••	•••		•••				
angton, Tur	235	•••	5	Under 5 5 upwds.								•••	- • •	•••						
aughton	108			Under 5 5 upwds.								•••	• • •	•••				•••		
ubenham	680	•••	30	Under 5 5 upwds.				•••				•••	•••	•••		•••	•••		•••	
Iowsłey	168		5	Under 5 5 upwds.							•••	•••	•••	•••			•••		• • •	
addington	182	***	6	Under 5 5 upwds.		1 6						•••	***	•••	•••	•••				
hangton	77	***	***	Under 5 5 upwds.					•••	•••	•••	•••	•••	•••		•••	•••	•••	•••	
lawston	152	•••	2	Under 5 5 upwds.			•••	•••			•••	•••	•••		···					
meeton Westerby	342		8	Under 5 5 upwds.	•••		•••		•••											
tonton Wyville	66		•••	Under 5 5 upwds.	•••	•••														
heddingworth	204	•••	3	Under 5 5 upwds.	•••			•••				•••		•••					•••	
Velham			2	Under 5 5 upwds.	•••	•••	•••	•••		•••				•••	•••			•••	•••	
TOTALS	6821		176	Under 5	•••	4	•••			•••										

Notification of Infectious Disease has been compulsory in the District since 1896.

No Isolation Hospital.



MARKET HARBOROUGH RURAL SANITARY DISTRICT.

Inspector's Report of the Sanitary Work

Completed in the year 1897.

No. of Complaints received during	g the year	•••	•••	•••	•••	30
No. of Houses, Premises, &c., ins	pected	•••	•••	•••	•••	45
No. of Re-inspections of Houses,	Premises, &	zc	•••	•••	•••	22
Results of Inspection:—						
Orders issued for Sanitary A	mendments	of Houses	s and Prei	mises	•••	8
Houses, Premises, &c., clean	sed, repaire	d, whitewa	shed, &c.	•••	•••	3
Houses disinfected after illne	ess of an Inf	fectious ch	aracter	• • •	•••	7
House Drains:—					•	
Repaired, cleansed, trapped,	&c	•••	•••	• • •	•••	6
Ventilated	•••	• • •	• • •	• • •	•••	4
Privies and Waterclosets:—						
Repaired, &c	•••	•••	•••	•••	•••	6
Supplied with Water	•••	• • •	• • •	• • •	•••	1
New Provided	•••	•••	•••	•••	•••	4
Water Supply:—						
Wells cleansed, repaired and	covered	•••	•••	•••	•••	8
Samples of Water analyzed—	-4 good and	13 bad	• • •	•••	•••	17
Removal of accumulations of dung	- J		mal and o	ther refus	e	3
Regularly Inspected :—						
Licensed Sleughter-houses						1

W. H. BLOUNT,

Surveyor and Sanitary Inspector.

